



## SC Series Pumps

The world leader in pump technology  
for the sewer cleaning industry

**FMC** Technologies

## FMC's SC Series Pump Ratings

Pump Model	Stroke Length (in)	Number of Cylinders	Seal Diameter (in)	Maximum Speed (RPM)	Displacement (Gal/Rev)	Maximum Flow (GPM)	Rated Pressure (PSI)
A0410-SC	1	2	1.25	500	0.011	5	1,300
E0410-SC	1	4	1.25	700	0.021	15	1,500
L0614-SC	1.5	3	1.75	855	0.047	40	2,000
L1114-SC	2.75	3	1.75	1650	0.024	40	3,000
L1118-SC	2.75	3	2.25	1650	0.039	65	2,000
L1214-SC	3	3	1.75	500	0.094	50	3,000
L1218-SC	3	3	2.25	500	0.155	78	2,000
L1614-SC	4	3	1.75	1750	0.032	56	3,000
L1616-SC	4	3	2.00	1750	0.041	73	2,500
L1616-SCX	4	3	2.00	1932	0.041	80	3,000
L1618-SC	4	3	2.25	1750	0.052	92	2,000
M0610-SC	1.5	3	1.25	750	0.024	18	4,000
M0810-SC	2	3	1.25	650	0.032	21	4,000
M0812-SC	2	3	1.50	650	0.046	30	3,000
M0911-SC	2.25	3	1.38	600	0.043	26	4,000
M1212-SC	3	3	1.50	500	0.069	35	3,400
M1214-SC	3	3	1.75	500	0.094	47	3,000
M1216-SC	3	3	2.00	500	0.122	61	2,500
M1218-SC	3	3	2.25	500	0.155	78	2,000
M1220-SC	3	3	2.50	500	0.191	96	2,000
Q1214-SC	3	5	1.75	520	.1562	80	3,000
Q1218-SC	3	5	2.25	520	.2582	120	2,000
M1614-SC	4	3	1.75	425	0.125	53	4,500
M1616-SC	4	3	2.00	425	0.163	70	4,000
M1618-SC	4	3	2.25	425	0.207	88	3,500
M1620-SC	4	3	2.50	425	0.255	109	2,700
M1622-SC	4	3	2.75	425	0.309	131	2,500
M1624-SC	4	3	3.00	425	0.367	156	2,250
M1818-SC	4.5	3	2.25	400	0.232	93	3,500
M1820-SC	4.5	3	2.50	400	0.287	115	2,700
M1822-SC	4.5	3	2.75	400	0.347	139	2,500
M1824-SC	4.5	3	3.00	400	0.413	165	2,250
Q1618-SC	4	5	2.25	425	0.344	146	3,500
Q1620-SC	4	5	2.50	425	0.425	181	2,700
Q1622-SC	4	5	2.75	425	0.514	219	2,500
Q1624-SC	4	5	3.00	425	0.612	260	2,250
Q1820-SC	4.5	5	2.50	400	0.478	191	3,250
Q1822-SC	4.5	5	2.75	400	0.579	231	2,700
Q1824-SC	4.5	5	3.00	400	0.688	275	2,250

FMC Technologies  
 500 N. Sam Houston Pkwy W.  
 Suite 100  
 Houston TX 77067  
 281 260 2121

Manufacturing  
 2825 West Washington  
 Stephenville, TX 76401  
 800 772 8582